



# GRANITE STATE GATE SYSTEM

## PREVENTATIVE MAINTENANCE & SERVICE AGREEMENT

Client: \_\_\_\_\_

**SWING GATE OPERATOR - CHECK SHEET**

**COMMENTS**

- \_\_\_\_\_ **A. DRIVE TRAIN:**  
check for excessive slack, check bearings and shaft \_\_\_\_\_  
\_\_\_\_\_
- \_\_\_\_\_ **B. LIMIT SWITCHES:**  
check and adjust as required \_\_\_\_\_  
\_\_\_\_\_
- \_\_\_\_\_ **C. BRAKE:**  
check and adjust as required \_\_\_\_\_  
\_\_\_\_\_
- \_\_\_\_\_ **D. SPROCKETS:**  
check for wear and set screw tightness \_\_\_\_\_  
\_\_\_\_\_
- \_\_\_\_\_ **E. CHAINS:**  
lubricate and adjust as required \_\_\_\_\_  
\_\_\_\_\_
- \_\_\_\_\_ **F. CLUTCH:**  
check and adjust as required \_\_\_\_\_  
\_\_\_\_\_
- \_\_\_\_\_ **G. BELTS:**  
check condition and tension \_\_\_\_\_  
\_\_\_\_\_
- \_\_\_\_\_ **H. MANUAL DISCONNECT:**  
check and operate \_\_\_\_\_  
\_\_\_\_\_
- \_\_\_\_\_ **I. FRAME BOLTS:**  
check and tighten as required \_\_\_\_\_  
\_\_\_\_\_
- \_\_\_\_\_ **J. SAFETY:**  
check and operate all entrapment protection devices,  
test current sensings and adjust if needed \_\_\_\_\_  
\_\_\_\_\_
- \_\_\_\_\_ **K. CONTROLS:**  
check and operate \_\_\_\_\_  
\_\_\_\_\_
- \_\_\_\_\_ **L. ELECTRICAL:**  
inspect wire connections and relays, inspect board for  
debris and corrosion \_\_\_\_\_  
\_\_\_\_\_
- \_\_\_\_\_ **M. TOTAL UNIT:**  
inspect for wear or damage \_\_\_\_\_  
\_\_\_\_\_
- \_\_\_\_\_ **N. GATE:**  
inspect for wear or damage \_\_\_\_\_  
\_\_\_\_\_

Additional Comments: \_\_\_\_\_  
\_\_\_\_\_

Work Performed By: \_\_\_\_\_ Date: \_\_\_\_\_

Accepted By: \_\_\_\_\_ Date: \_\_\_\_\_

**294 DURHAM RD. DOVER, NH 03820 800-660-0833 FAX 603-743-4475**



